

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
7 November 2002 (07.11.2002)

PCT

(10) International Publication Number  
**WO 02/087566 A1**

(51) International Patent Classification<sup>7</sup>: **A61K 31/343, A61P 25/00, 25/22, 25/24**

(21) International Application Number: **PCT/DK02/00281**

(22) International Filing Date: **1 May 2002 (01.05.2002)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:  
**PA 2001 00684 1 May 2001 (01.05.2001) DK**

(71) Applicant (for all designated States except US): **H. LUNDBECK A/S [DK/DK]; Ottiliavej 9, DK-2500 Valby-Copenhagen (DK).**

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SANCHEZ, Connie [DK/DK]; Østerager 58, DK-2600 Glostrup (DK). LYNG JENSEN, Jesper [DK/DK]; Jenslevvej 68, DK-4070 Kirke Hyllinge (DK). MØRK, Arne [NO/DK]; Parkladden 23, DK-2760 Måløv (DK).**

(81) Designated States (*national*): AE, AG, AL, AM, AT (utility model), AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ (utility model), CZ, DE (utility model), DE, DK (utility model), DK, DM, DZ, EC, EE (utility model), EE, ES, FI (utility model), FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK (utility model), SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **THE USE OF ENANTIOMERIC PURE ESCITALOPRAM**

(57) Abstract: The present invention relates to the use of enantiomeric pure escitalopram and/or of low dose medicaments thereof for the improved treatment of depression, in particular major depression disorder, neurotic disorders, acute stress disorder, eating disorders such as bulimia, anorexia and obesity, phobias, dysthymia, pre-menstrual syndrome, cognitive disorders, impulse control disorders, attention deficit hyperactivity disorder or drug abuse. The medicaments may also be used in the treatment of major depression disorder in "treatment resistant" patients.

WO 02/087566 A1

## The use of enantiomeric pure escitalopram

The present invention relates to the use of enantiomeric pure escitalopram (INN-name) which is the S-enantiomer of the well-known antidepressant drug citalopram, i.e. (S)-1-[3-(dimethylamino)propyl]-1-(4-fluorophenyl)-1,3-dihydro-5-isobenzofurancarbonitrile, or a pharmaceutically acceptable salt thereof for the preparation of medicaments, in particular medicaments for the treatment of major depression disorder.

### 10 Background of the Invention

Selective serotonin reuptake inhibitors (hereinafter called SSRIs) such as citalopram have become first-choice therapeutics in the treatment of depression, certain forms of anxiety and social phobias, because they are effective, well-tolerated and have a favourable safety profile compared to the classic tricyclic antidepressants.


However, clinical studies on depression and anxiety disorders indicate that non-response or resistance to SSRIs, i.e. where at least a 40-60% reduction in symptoms has not been achieved during the first 6 weeks of treatment, is substantial, namely up to 30%.

Moreover, there is the delay in therapeutic effect of SSRIs. Sometimes symptoms even worsen during the first weeks of treatment. Even in responders to SSRIs, several weeks of treatment are necessary to achieve a relief in symptoms.

25 In addition, sexual dysfunction is a side-effect common to all SSRIs.

Without addressing these problems, real progress in the pharmacotherapy of depression and anxiety disorders is not likely to happen.

30 Escitalopram is the S-enantiomer of the well-known antidepressant drug citalopram and has the following structure:



Formula I

Escitalopram and a method for its preparation are disclosed in US Patent No 4,943,590. The stereo selectivity of citalopram, i.e. the 5-HT-reuptake inhibition in the S-enantiomer, and accordingly, its potential antidepressant effect of said enantiomer is also disclosed. It appears that substantially all the 5-HT-reuptake inhibiting effect and accordingly the antidepressant effect is in the S-enantiomer. In view of the stereo-selectivity, escitalopram is expected to be two times as potent as the racemate in the treatment depression.

WO 103694 A1 relates to the use of escitalopram in the treatment of neurotic disorders, including anxiety states and panic attacks.

It has now, surprisingly, been found that the presence of R-citalopram has a negative impact on the effect of escitalopram and escitalopram has been found in pharmacological and clinical studies to be substantially more than two times as potent as the racemate.

Furthermore, escitalopram has been found to show a faster onset of action in animal models and clinical studies than the racemate and other SSRIs and to give a more full response in various animal models. Finally, clinical studies have indicated that escitalopram may be an effective medicament in the treatment of depression in patients that do not respond to conventional SSRIs.

The mechanism behind the surprising negative impact of the R-enantiomer on the effect of the S-enantiomer is not known. One possible explanation could be that the R-enantiomer may have a negative influence on the transport of the S-enantiomer over the blood brain barrier. Alternatively, R-citalopram may convey local feed-back inhibition of 5-HT release or the R-enantiomer may modulate the effect of the S-enantiomer.

### Description of the invention

Accordingly, the present invention thus relates to the use of escitalopram in low doses and/or comprising less than 3 % w/w of R-citalopram for the preparation of a pharmaceutical composition.

In a further aspect, the invention relates to a pharmaceutical composition characterised in that it comprises escitalopram with less than 3 % w/w of R-citalopram as an active ingredient.

In yet another aspect, the invention relates to the use of escitalopram for the treatment of major depression disorder characterised in that it is used in a daily dose of less than 10 mg of escitalopram.

As mentioned above, the present invention is based on the finding that R-citalopram has a negative impact on the effect on escitalopram. This may be shown in functional in-vivo pharmacological models and studies of 5-HT-reuptake effect and or in behaviour models, for example depression models.

Escitalopram has also been found to give a significant improvement compared to the double amount of citalopram-racemate and/or to give a more full response. So, it has been found in fixed dose studies that escitalopram in a dose of 10 mg has at least same effect as citalopram in a dose of 40 mg as determined by the MADRS rating scale and Clinical Global Impression (severity as well as improvement).

Escitalopram has also been found in animal models to give a faster response than citalopram-racemate. This has i.a. been found in the Chronic Mild Stress model (Willner P., Psychopharmacology 1997, 134, 319-329). This effect has been confirmed in an 8-week, double-blind, randomised, placebo-controlled, flexible-dose study that compared escitalopram and citalopram to placebo in primary care patients with major depression disorder. The patients received 10 mg escitalopram (155 patients), 20 mg citalopram (160 patients) and placebo (154 patients). Escitalopram showed effects after one week whereas citalopram did not show significant effect.

All these effects are very surprising in view of the prior art suggesting that the R-enantiomer does not influence the effect of the S-enantiomer and, accordingly that escitalopram should only be twice as potent as the racemate.

- 5 As a further advantage, the fact that escitalopram is effective in lower doses suggests that effective treatment with less side effects may be obtained, in particular, a reduced amount of serotonin reuptake inhibitor may reduce the risk of SSRI-induced sexual dysfunction and sleep disturbances.

10 **Detailed description of the invention**

The escitalopram is preferably used as an oxalate salt, preferably a crystalline oxalate salt.

- 15 Furthermore, in the escitalopram used, R-citalopram is preferably not present in an amount exceeding 2% w/w, most preferably 1% w/w. The percentage of R-citalopram is throughout the description given as w/w % compared to the amount of escitalopram present.

- The pharmaceutical composition of the invention is preferably for the treatment of depression, in particular major depression disorder, neurotic disorders, acute stress disorder,  
20 eating disorders such as bulimia, anorexia and obesity, phobias, dysthymia, premenstrual syndrome, cognitive disorders, impulse control disorders, attention deficit hyperactivity disorder or drug abuse.

- Throughout this specification and claims the term "neurotic disorders" is used to designate a  
25 group of mental disorders, including anxiety states, in particular generalised anxiety disorder and social anxiety disorder, post traumatic stress disorder, obsessive compulsive disorder and panic attacks.

- The terms "generalised anxiety disorder", "social anxiety disorder", "post traumatic stress  
30 disorder" and "obsessive compulsive disorder" are as defined in DSM IV.

The phrase "panic attacks" contemplates treatment of any disease, which is associated with panic attacks including panic disorder, specific phobias, social phobia and agoraphobia in which panic attacks occur. These disorders are further defined in the DSM IV.

5 The phrase "treatment of panic disorder" means a reduction in the number or prevention of attacks and/or relief of the severity of the attacks. Similarly, the treatment of generalised anxiety disorder, social anxiety disorder, post traumatic stress disorder and obsessive compulsive disorder include the treatment or prevention of these diseases, or the relief of the symptoms thereof.

10

Based on the pharmacological and clinical studies, preferred indications are major depression disorder and obsessive compulsive disorder.

Other preferred uses are treatment of neurotic disorders.

15

In particular, the composition may be useful for treatment of patients who have failed to respond to initial treatment with a conventional SSRI, in particular patients with major depression disorder who have failed to respond to initial treatment with a conventional SSRI. Such treatment resistant patients may in particular be defined a patients who do not  
20 achieve an alleviation in symptoms of 40-60% by treatment with citalopram or other marketed SSRIs. Further definitions are given in Kornstein SC and Schneider RK, Clinical features of treatment-resistant depression *J Clin Psychiatr* 2001, 62, Suppl 16, 18-25; Sackeim HA, The definition and meaning of treatment-resistant depression, *J. Clin Psychiatr* 2001, 62 Suppl 16, 10-17; and Nierenber AA and DeCecco LM, Definitions of  
25 antidepressant treatment response, remission, non-response, partial response, and other relevant outcomes: A focus on treatment-resistant depression *J Clin Psychiatr* 2001, 62 Suppl 16, 5-9.

The pharmaceutical composition according to the invention may comprise escitalopram in a  
30 unit dose preparation containing 2.5 to 20 mg escitalopram.

In view of the potent effect of the escitalopram used according to the invention, it may be effective in low doses, i.e. daily doses lower than 10 mg escitalopram, for example 7.5 mg

or lower, such as 7.5 or 5 mg pr day.

The pharmaceutical composition according to the invention is preferably an oral formulation, preferably a tablet.

5

Thus, tablets may be prepared by mixing the active ingredient with ordinary adjuvants and/or diluents and subsequently compressing the mixture in a conventional tableting machine. Examples of adjuvants or diluents comprise: corn starch, potato starch, talcum, magnesium stearate, gelatine, lactose, gums, and the like. Any other adjuvants or additives usually used for such purposes such as colourings, flavourings, preservatives etc. may be used provided that they are compatible with the active ingredients.

Solutions for injections may be prepared by dissolving the active ingredient and possible additives in a part of the solvent for injection, preferably sterile water, adjusting the solution to desired volume, sterilisation of the solution and filling in suitable ampules or vials. Any suitable additive conventionally used in the art may be added, such as tonicity agents, preservatives, antioxidants, etc.

### Clinical Study

20

A total of 471 patients were randomised into the study. The *all-patient-treated set* comprised 469 patients and the *full-analysis set* comprised 468 patients. In the *full-analysis set* there were 155 patients in the escitalopram group, 159 patients in the citalopram group, and 154 patients in the placebo group.

25

There was an approximately 3 to 1 ratio of women to men in each treatment group, and almost all patients were Caucasian. The mean age was 43 years (SD 11). At baseline, the mean MADRS total score was approximately 29 for the treatment group, which signifies moderate to severely ill patients.

30

The efficacy analysis of the adjusted mean change in MADRS total score showed a significantly superior therapeutic effect for escitalopram *versus* placebo from Week 1 ( $p=0.023$ ) to Week 4 ( $p=0.002$ ) (observed cases). At Week 4, the adjusted mean change in

MADRS total score (last observation carried forward) for escitalopram *versus* placebo was 2.7 points ( $p=0.002$ ) compared to a statistically insignificant change of 1.5 points for citalopram *versus* placebo.

- 5 Escitalopram was significantly superior to placebo both on the CGI improvement and severity subscale from Week 1 ( $p<0.05$ )(observed cases) onwards, while citalopram was not statistically different from placebo during the 4-week period. At Week 4 (last observation carried forward), escitalopram was statistically significantly superior to placebo while there was no statistically significant difference between citalopram *versus* placebo.



**CLAIMS**

1. Use of escitalopram comprising less than 3% w/w of R-citalopram for the preparation of a pharmaceutical composition.  
5
2. The use according to claim 1, characterised in that escitalopram is used as an oxalate salt, preferably a crystalline oxalate salt.
3. The use according to claim 1 or 2, characterised in that escitalopram comprising not  
10 more than 2% w/w R-citalopram is used.
4. The use according to claim 3, characterised in that escitalopram comprising not more than 1% w/w.
- 15 5. The use according to any of Claims 1 – 4, characterised in that the pharmaceutical composition is for treatment of depression, in particular major depression disorder, neurotic disorders, acute stress disorder, eating disorders such as bulimia, anorexia and obesity, phobias, dysthymia, pre-menstrual syndrome, cognitive disorders, impulse control disorders, attention deficit hyperactivity disorder or drug abuse.  
20
6. The use according to Claim 5, characterised in that the pharmaceutical composition is for treatment of major depression disorder.
7. The use according to Claim 5, characterised in that the medicament is for treatment  
25 of a neurotic disorder.
8. The use according to any of Claims 5 to 7, characterised in that the pharmaceutical composition is for treatment of patients who have failed to respond to initial treatment with a conventional SSRI.  
30
9. The use according to Claims 8, characterised in that the pharmaceutical composition is for treatment of patients with major depression disorder who have failed to

respond to initial treatment with a conventional SSRI.

10. Pharmaceutical composition, characterised in that it comprises escitalopram with less than 3% w/w of R-citalopram as an active ingredient.
- 5 11. Pharmaceutical composition of claim 10, characterised in that it comprises escitalopram with not more than 2% w/w of R-citalopram as an active ingredient.
- 10 12. Pharmaceutical composition according to claim 11, characterised in that it comprises escitalopram with not more than 1% w/w.
13. Pharmaceutical composition according to any of claims 10 to 12, characterised in that it is a unit dose preparation containing 2.5 to 20 mg escitalopram.
- 15 14. Pharmaceutical composition according to claim 13, characterised in that it is a unit dose preparation containing not more than 10 mg escitalopram.
- 15 15. Pharmaceutical composition according to claim 14, characterised in that it is a unit dose preparation containing not more than 7.5 mg escitalopram, preferably 5.0 mg.
- 20 16. Pharmaceutical composition according to any of claims 10 to 15, characterised in that it is a oral formulation, preferably a tablet.
- 25 17. Use of escitalopram for the treatment of major depression disorder characterised in that it is used in a daily dose of less than 10 mg of escitalopram.
18. Use of escitalopram for the treatment of major depression disorder characterised in that it is used in a daily dose of 7.5 mg or less of escitalopram.
- 30 19. Use of escitalopram for the treatment of major depression disorder characterised in that it is used in a daily dose of 5.0 mg of escitalopram.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/DK-02/00281

## A. CLASSIFICATION OF SUBJECT MATTER

IPC7: A61K 31/343, A61P 25/00, A61P 25/22, A61P 25/24

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A61K, A61P

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-INTERNAL, CHEM.ABS.DATA

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0347066 A1 (H. LUNDBECK A/S), 20 December 1989 (20.12.89)	1-19
	--	
X	WO 0103694 A1 (H. LUNDBECK A/S), 18 January 2001 (18.01.01)	1-19
	--	
	-----	

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"B" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

15 July 2002

Date of mailing of the international search report

22-07-2002

Name and mailing address of the ISA/  
Swedish Patent Office  
Box 5055, S-102 42 STOCKHOLM  
Facsimile No. +46 8 666 02 86

Authorized officer

CAROLINA GÓMEZ LAGERLÖF/BS  
Telephone No. +46 8 782 25 00

**Box I** Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 17-19  
because they relate to subject matter not required to be searched by this Authority, namely:  
see next sheet
2. ☐ Claims Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

**Box II** Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

**Remark on Protest**

- ☐ The additional search fees were accompanied by the applicant's protest.  
☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.  
PCT/DK02/00281

Claims 17-19 relate to methods of treatment of the human or animal body by surgery or by therapy/ diagnostic methods practised on the human or animal body/Rule 39.1.(iv). Nevertheless, a search has been executed for these claims. The search has been based on the alleged effects of the compounds/compositions.

## INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

06/07/02

PCT/DK 02/00281

Patent document cited in search report			Publication date	Patent family member(s)	Publication date
EP	0347066	A1	20/12/89	SE 0347066 T3	
				AT 119896 T	15/04/95
				AU 623144 B	07/05/92
				AU 3629589 A	04/01/90
				CA 1339568 A	02/12/97
				CY 2081 A	16/10/98
				DE 68921672 D,T	27/07/95
				DK 11593 A	01/02/93
				DK 170280 B	24/07/95
				DK 259989 A	15/12/89
				ES 2068891 T	01/05/95
				FI 91527 B,C	31/03/94
				FI 98627 B,C	15/04/97
				FI 892823 A	15/12/89
				FI 941829 A	20/04/94
				FI 20000507 A	06/03/00
				GB 8814057 D	00/00/00
				GR 3015889 T	31/07/95
				HK 139596 A	02/08/96
				HU 211460 B	28/11/95
				HU 9500496 A	28/09/95
				IE 65734 B,L	15/11/95
				IE 891859 L	14/12/89
				IL 90465 A	24/01/95
				JP 2036177 A	06/02/90
				JP 3038204 B	08/05/00
				JP 3044253 B	22/05/00
				JP 11292867 A	26/10/99
				MX 9203346 A	31/08/92
				NO 172892 B,C	14/06/93
				NO 892447 A	15/12/89
				NZ 229426 A	21/12/90
				PT 90845 A,B	29/12/89
				US RE34712 E	30/08/94
				US 4943590 A	24/07/90
				ZA 8904476 A	25/04/90
WO	0103694	A1	18/01/01	AU 5806100 A	30/01/01
				BR 0011578 A	26/03/02
				CZ 20020070 A	17/04/02
				EP 1200081 A	02/05/02
				NO 20020062 A	07/01/02
				TR 200200014 T	00/00/00